



NEWSLETTER 07/2017

Dear Sir or Madam,

with this newsletter, we would like to inform you about current topics around DEOS AG. In this edition, you will find the following topics:

- LüKK Customer Confidence Prize goes to DEOS AG
- Optimised Internet appearance of DEOS AG
- NEW: DEOS 10.1" Touch PC for installation in the switch cabinet
- Discontinuation of FUP XL and its successor FUP XL 2
- FUP XL 2 can now also be used without a USB dongle
- Macro Library Version V0005A and Release Notes
- OPENweb Version 8.2.9
- OPENview Version 2.2.9
- DEOS Newsticker

Your DEOS Team

LüKK Customer Confidence Prize goes to DEOS AG

3rd place in the building automation systems category



On the occasion of the 50th anniversary of cci Dialog GmbH, the "Customer Confidence Prize of the LüKK (German refrigeration, ventilation and air-conditioning sector)" was awarded to DEOS AG for the first time at a ceremony in Karlsruhe. 25,600 votes decided which of the seventy manufacturers of the ventilation, air-conditioning and refrigeration industry were honoured with a prize in the individual categories.

With third place in the "Building automation systems" category, partners, planners and users expressed their confidence in the products, solutions and services of the DEOS AG. This meant that the

company prevailed against other large representatives of the industry in the matters of dependability and recommendation. The evaluation criteria taken into consideration included technology, conceptual consultation, after-sales service and recommendability.

At this point, we would like to thank all those who voted for DEOS AG. The confidence they place in us motivates us to realise the demands of our partners and users.

[More information](#)

Optimised Internet appearance of DEOS AG

With a new look, powerful images and simple navigation, you can find our newly designed Internet appearance at the familiar address www.deos-ag.com from 29th June, 2017.

The focus of the optimised web appearance is on the transparent range of information concerning the product and solution world of DEOS AG. New contents in the sectors of IT security, room automation or light management are available for the first time as a result of this redesign.

"We are guided by the modern trends of web appearance", says Christa Judith project manager in DEOS Marketing, "The website impresses through **better readability and clear arrangement of topics**, which was important to us".



In brief - Focusses of the website optimisation:

- User guidance – New TOP navigation
- User-friendliness – Rapid orientation in the portfolio
- Building types – DEOS solutions for buildings with special requirements
- Reference projects – Optimised reference catalogue
- Usability – Practical links in quick access

You can also read about this in our news on the website with more details about the refreshing of our Internet appearance.

[More Information](#)

[To our new website](#)

New: DEOS 10.1" Touch PC for installation in the switch cabinet

Improved features - additional functions - lower price



From 15th June, 2017 DEOS AG is introducing a new android touch PC with a display size of 10.1". This is primarily intended as a built-in graphical control unit for the switch cabinet door.

As an **industry-oriented unit**, this touch PC replaces the DEOS tablet DS-TPC T74B with immediate effect.

Compared to the predecessor model, the touch PC has new features, improved functions and a list price reduced by 70 €.

Advantages of the 10.1" DEOS touch PC:

- Industry-oriented unit with protection class IP65 (front)
- Designed for 24/7 continuous operation
- Built-in unit for the switch cabinet door
- No internal rechargeable battery - power supply included
- Assembly set included
- Convenient KnockOn function - without control buttons
- Time and cost savings: pre-installed DEOS apps

The datasheet can be found at DEOS [Partner Section](#) in the "Control units" section. The DEOS item number incl. the necessary accessories is DS-360157 (10.1" DC touch PC).

Please address any technical questions to our [Professional Support](#).

[More information](#)

Discontinuation of FUP XL and its successor FUP XL 2

On 15th June, 2017, DEOS AG is discontinuing the FUP XL (32-bit) programming tool and is directing its resources towards the further development of the FUP XL 2 (64-bit).

This decision has become necessary because the parallel further development and maintenance of two programming tools is not commercially viable in the long term.

What does this mean for you? Functional further development and bug fixing for FUP XL are being discontinued with immediate effect. The discontinuation does not have any functional disadvantages for you since all functions of the FUP XL are also available in the current FUP XL 2.

You can continue to use FUP XL. Our Professional Support is happy to assist with your questions. But, in the medium to long term, this support will also be discontinued so it is advisable to change to FUP XL 2 as quickly as possible.

Note: The minimum version of the firmware for use of the FUP XL 2 (64-bit) is Version V1.040 (controller program / firmware version). All current FUP XL versions are available for download in the Partner Section.

[To the Partner Section](#)

DEOS development tools even more flexible: FUP XL 2 can now also be used without a USB dongle

From 1st July, 2017 the FUP XL 2 can be operated using the familiar USB dongle or now as a software license on a PC!



The background to this: Recent adaptations to the Microsoft operating system now allow simultaneous remote sessions of different users. Dongle manufacturers see this as a threat to their business model and now forbid dongle access if a remote session is detected.

Our new licensing option allows you to still install the FUP XL 2 on a customer computer, use the remote dial-in for remote program adaptations and to download your new controller program onto the OPEN EMS directly at the customers. Even if your end customer has

forbidden the activation of a USB port on the PC for reasons of security, the new FUP XL 2 software licence now provides you with new capabilities for your service concept.

To order a new FUP XL 2 without dongle, you need FUP XL (DS-371174) as well as the FUP-XL.Z option (type: DS-FUP-XL.Z, item no.: DS-371175). If you want to switch from the dongle variant to the new VM licence, only the FUP-XL.Z option is required. The old dongle must be sent back to DEOS AG for deactivation.

The VM licence can be ordered as a chargeable option for FUP XL 2 from Version 2.5 and above.

The DEOS internal sales department will guide you through the details of the ordering process and will prepare an individual offer for you.

Macro Library Version V0005A and Release Notes

In this new version of the macro library for FUP XL 2, BACnet functionalities are implemented in the IO macros. The library is available at [Professional Support](#).

Important information and improvements to this macro library can be found in the Release Notes.

To be found in the Partner Section: FUP XL / Libraries --> FUP XL 2 --> Libraries --> Macro Library FUP XL 2

File name: [Release Notes Macro library version V0005A](#)

[To the Partner Section](#)

OPENweb Version 8.2.9

To be found in the Partner Section: OPENweb --> OPENweb Version 8

File name: [Full Version OPENweb Version 8.2.9 \(2017-05-18\)](#)

The following adaptations have been implemented in Version 8.2.9:

- Correction of the error message when reading a controller group with incorrect project identifier
- Correction when setting up the connection to a controller group via the context menu of a graphic page
- Correction to the evaluation of the licence options

[To the Partner Section](#)

OPENview Version 2.2.9

To be found in the Partner Section: OPENview --> OPENview for Windows Operation System

File name: [OPENview ControlPanel 2.2.9 multilingual \(64 bit\)](#)

The following adaptations have been implemented in Version 2.2.9:

- Correction of the loading dialogue when loading trend data in the OPENview control panel
- Correction of the error message when reading a controller group with incorrect project identifier
- Correction of the version check during installation of the OPENview control panel

[To the Partner Section](#)

DEOS Newsticker

- **Announcement:** DEOS SRU with new MODBUS interface - more information about this in the next newsletter!

Address

DEOS AG
Birkenallee 76
48432 Rheine
Germany

Contact

Tel: +49 5971 91133-0
Fax: +49 5971 91133-2999
info@deos-ag.com
www.deos-ag.com

Company

Executive Board:

Dipl.-Wirt.-Ing. Stefan Plüth (Vors.)
Dipl.-Ing. (FH) Michael van Well

Supervisory Board:

Prof. Dr.-Ing. Bernd Boiting (Chairman)
Prof. Dr.-Ing. Martin Höttecke (Vice
President)

Trade register Steinfurt, HRB-No. 7831
VAT ID No.: DE 257488774

[About](#) | [References](#) | [News](#) | [Downloads](#) | [Careers](#) | [Partner Section](#)

We sent this message to all of our customers.

If you want more information about our privacy policy, please visit our [Website](#).

If you no longer wish to receive these emails, simply click on the following link: [Link](#).

©2017 DEOS AG - All rights reserved.